

1. Find the area of the region bounded by the graphs of  $f(x) = 1 + 2x - x^2$  and  $g(x) = x - 1$ .

$$1 + 2x - x^2 = x - 1 \rightarrow 0 = (x - 2)(x + 1)$$

$$0 = x^2 - x - 2 \rightarrow x = 2, -1$$

$$A = \int_{-1}^2 (-x^2 + 2x + 1 - (x - 1)) dx = 45$$

2. Find the area of the region bounded by the graphs of  $f(x) = \frac{4}{2-x}$ ,  $y = 4$ , and  $x = 0$ .

$$\frac{4}{1} = \frac{4}{2-x} \rightarrow 4(2-x) = 4$$

$$2-x = 1 \rightarrow x = 1$$

$$\int_0^1 (4 - \frac{4}{2-x}) dx \approx 1.227$$


3. Find the area of the region bounded by the graphs of  $y = 1 - x^2$  and  $y = 1 - x$ .

$$1 - x^2 = 1 - x \rightarrow 0 = x(x - 1)$$

$$-x^2 = -x \rightarrow 0 = x^2 - x \rightarrow x = 0, 1$$

$$\int_0^1 ((1 - x^2) - (1 - x)) dx$$

$$\int_0^1 (-x^2 + x) dx = -\frac{x^3}{3} + \frac{x^2}{2} \Big|_0^1 = -\frac{1}{3} + \frac{1}{2} = \frac{1}{6}$$


4. Find the area of the shaded region between the graphs of  $x = y^3$  and  $x = y^2$ .

$$y^3 = y^2 \rightarrow y^2 - y^2 = 0 \rightarrow y^2(y - 1) = 0$$

$$y = 0 \rightarrow x = 0$$

$$y = 1 \rightarrow x = 1$$

$$\int_0^1 (y^2 - y^3) dy = \frac{y^3}{3} - \frac{y^4}{4} \Big|_0^1 = \frac{1}{3} - \frac{1}{4} = \frac{1}{12}$$

$$\int_0^1 (\sqrt[3]{x} - \sqrt{x}) dx = \frac{3}{4}x^{4/3} - \frac{2}{3}x^{3/2} \Big|_0^1 = \frac{3}{4} - \frac{2}{3} = \frac{1}{12}$$



5. Find the area of the shaded region between the graphs of  $x = y^2$  and  $x = y + 6$ .

$$y^2 = y + 6 \rightarrow y^2 - y - 6 = 0$$


$$(y - 3)(y + 2) = 0 \rightarrow y = 3, -2$$

$$y = 3 \rightarrow x = 9$$

$$y = -2 \rightarrow x = 4$$

$$\int_{-2}^3 (y + 6 - y^2) dy = 20 \frac{833}{1000}$$



6. Find the area of the region in the first quadrant bounded by the graphs of  $f(x) = e^{-x^2}$ ,  $g(x) = \sin 3x$ , and the y-axis.



Intersect at (0.58, 0.58)

$$\int_0^{0.58} (f(x) - g(x)) dx = 169$$

7. Find the area of the region bounded by the graphs of  $y = x$ ,  $y = 1$ , and  $y = \frac{x^2}{4}$ .




$$\int_0^1 (\sqrt{4y} - y) dy$$

$$4y = x^2 \rightarrow \sqrt{4y} = x$$

$$= \frac{5}{6}$$

$$\int_0^1 (x - \frac{x^2}{4}) dx + \int_1^2 (1 - \frac{x^2}{4}) dx$$

8. Find the area of the region bounded by the graphs of  $y = \sin x$ ,  $y = \cos x$  and  $x = 0$ .



$$\int_0^{\pi/4} (\cos x - \sin x) dx$$

$$= [\sin x + \cos x]_0^{\pi/4} = \left(\sin \frac{\pi}{4} + \cos \frac{\pi}{4}\right) - (\sin 0 + \cos 0)$$

$$= \frac{\sqrt{2}}{2} + \frac{\sqrt{2}}{2} - 0 - 1 = \boxed{\sqrt{2} - 1}$$

9. There is no snow on Janet's driveway when snow begins to fall at midnight. From midnight to 9 AM, snow accumulates on the driveway at a rate modeled by the function  $f(t) = 7te^{\cos t}$  cubic feet per hour, where  $t$  is measured in hours since midnight. Janet starts removing snow at 6 AM ( $t = 6$ ). The rate  $g(t)$ , in cubic feet per hour, at which Janet removes snow from the driveway at time  $t$  hours after midnight is modeled by

$$g(t) = \begin{cases} 0, & 0 \leq t < 6 \\ 125, & 6 \leq t < 7 \\ 108, & 7 \leq t \leq 9 \end{cases}$$



- a) How many cubic feet of snow have accumulated on the driveway by 6 AM?

$$\int_0^6 7te^{\cos t} dt = 142\,275$$

- b) Find the rate of change of the volume of snow on the driveway at 8 AM.

$$f(8) - g(8) = -59\,583 \text{ ft}^3/\text{hr}$$

- c) Let  $h(t)$  represent the total amount of snow, in cubic feet, that Janet has removed from the driveway at time for  $t$  hours after midnight. Express  $h$  as a piecewise-defined function with domain  $0 \leq t \leq 9$ .

$$h(t) = \begin{cases} 0 & 0 < t < 6 \\ 125(t-6) & 6 \leq t < 7 \\ 108(t-7) + 125 & 7 \leq t \leq 9 \end{cases}$$

- d) How many cubic feet of snow are on the driveway at 9 AM?

$$\int_0^9 7te^{\cos t} dt - (108(2) + 125) = 26\,335$$